(561) 727-1306

Patient Post-Operative Instructions - KNEE

Surgery Arrival Time:
CONTACT INFORMATION
<u>DURING HOURS</u> : call 561-727-1306 or email <u>heatherd@pboi.com</u> <u>AFTER HOURS</u> : call (561) 694-7776 and leave a message for Dr. Avino
Follow-Up Your initial follow-up with Dr. Avino is 7-14 days after your surgery for x-rays and bandage removal. You will come back again at 6 weeks for an incision check, followed by 3-4 months for repeat x-rays.
Anticoagulation (to prevent blood clots following surgery)
☐ Take Aspirin 81mg twice a day for 30 days following surgery
☐ Other:
Pain Medication You will be taking multiple medications to control your post-operative pain. Please follow Dr. Avino's instructions on taking these medications. Tylenol Extra Strength (acetaminophen) 1000 mg three times a day for 21 days (purchase over-the-counter) Celebrex (celecoxib) 200 mg twice a day for 30 days Tramadol (Ultram) 50 mg every 6-8 hours as needed for moderate to severe pain Oxycodone 5 mg every 4-6 hours as needed for severe pain
Other Medications
 Colace (docusate sodium) - stool softener - 100 mg twice a day for 14 days Zofran (ondansetron) - anti-nausea - 4 mg taken every 6 hours as needed for nausea Omeprazole (prilosec) -antireflux- 20 mg twice a day (30 mins before AM and PM meals) for 30 days (purchase over-the-counter)
NO ALCOHOL FOR AT LEAST 30 DAYS FOLLOWING SURGERY
ICE/Cold Therapy Patients who have a knee replacement will receive a polar-care ice machine. A towel or pillow case should be placed over the knee so that the ice cuff does not directly contact the skin.
Assistive Devices

You will need a 2 wheeled walker and a standard cane.

(561) 727-1306

Incision Care

The surgical dressing (bandage) remains in place until removed in the office by Dr. Avino. The home health nurse may reinforce the dressing with Tegaderm or island dressings to improve the seal or patch. Swelling, bruising, and mild redness around the dressing are normal. Call Dr. Avino's office at 561-727-1306 if the dressing becomes saturated or if you have any concerns.

Showers

<u> *Glad Press-N-Seal*</u>

Patients can shower after surgery with dressing/barrier applied over the incision. Dr. Avino recommends covering the dressing with clear plastic wrap to protect it from getting wet. After your first follow up appointment (7-14 days after surgery) you will be able to shower with the dressing removed. No baths, pools, or ocean until 6 weeks after surgery.

Physical Therapy

☐ Home Health Care:	First at Home (561) 96	53-8109

Home health care consists of home physical therapy and a nurse visit. During the first 2 weeks following your surgery, you will receive home physical therapy from the home healthcare agency. Outpatient physical therapy will begin after your first postoperative visit.

☐ Outpatient Physical Therapy

You will be given orders for outpatient physical therapy. You should start outpatient therapy 1-2 days after you get home and will need someone to drive you to and from therapy. You can go to the PT facility of your choice.

Driving

You can begin driving once you have regained adequate strength/control/coordination, are not taking any narcotic or opioid pain medications, and are walking without an assistance device. This is typically 2-4 weeks following surgery.

Footwear

Dr. Avino recommends wearing tennis shoes only for the first 2 weeks after surgery.

Antibiotics and Dental

No dental visits for 90 days after surgery.

You will require antibiotics prior to dental visits for the first year after surgery.

What to Expect Following Surgery

Pain and swelling are normal following surgery. Be sure you are taking your medications as prescribed as well as icing and elevating the surgical leg. You may also experience trouble sleeping after surgery. This will typically resolve on its own after a couple of weeks. If you have any questions or concerns, please reach out to us.